

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	((identif\$5 determin\$4) near7 (servers or systems or computers) near6 (back \$1up or replica\$5 duplicat \$4)) with (utiliz\$5 near3 (systems computers server \$1))) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 14:42
L2	1681	((servers or systems or computers) with (back \$1up or replica\$5 duplicat \$4) with (utiliz\$5 near3 (systems computers server \$1))) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 14:50
L3	220	"707"/\$.ccls. and ((servers or systems or computers) with (back \$1up or replica\$5 duplicat \$4) with (utiliz\$5 near3 (systems computers server \$1))) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 14:50
L4	20	"707"/\$.ccls. and (storage near3 balanc\$3) and ((servers or systems or computers) with (back \$1up or replica\$5 duplicat \$4) with (utiliz\$5 near3 (systems computers server \$1))) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 14:51
L10	24	(storage near3 balanc\$3) and ((identif\$7 select\$3) near6 (servers or systems or computers) with (back \$1up or replica\$5 duplicat \$4)) and (utiliz\$5 near3 (systems computers server \$1)) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 15:06
S31	8045	(distribut\$5 same ((plurality or multiple) near server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:11

S32	1181	(distribut\$5 same ((plurality or multiple) near server\$1)) and (identif\$3 near server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:12
S33	0	(distribut\$5 same ((plurality or multiple) near server\$1)) and (((plac\$3 stor\$3) near (replica\$5 or copy or mirror or duplicat\$4)) with (identif\$3 near server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:13
S34	3	(distribut\$5 same ((plurality or multiple) near server\$1)) and (((plac\$3 stor\$3) near5 (replica\$5 or copy or mirror or duplicat\$4)) with (identif\$3 near server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:13
S37	19	(distribut\$5 and ((plurality or multiple) near4 server \$1)) and (((plac\$3 stor\$3) near5 (replica\$5 or copy or mirror or duplicat\$4)) with (identif\$3 near server \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/06 12:02
S38	20	(distribut\$5 and ((plurality or multiple) near5 server \$1)) and (((plac\$3 stor\$3) near5 (replica\$5 or copy or mirror or duplicat\$4)) with (identif\$3 near server \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/06 22:43
S39	6	(distribut\$5 and ((plurality or multiple) near5 server \$1)) and (((plac\$3 stor\$3) near5 (replica\$5 or copy or mirror or duplicat\$4)) with (identif\$3 near server \$1)) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/06 22:45
S40	1410	((distribut\$5 re\$distribut \$4) and ((plurality or multiple) near7 server\$1)) and ((identif\$3 select\$4 determin\$4) with (server \$1 host) with (replica\$5 or copy or mirror or duplicat\$4)) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 07:04

S41	261	((distribut\$5 re\$distribut \$4) and ((plurality or multiple) near7 server\$1)) and ((identif\$3 select\$4 determin\$4) with (server \$1 host) with (replica\$5 or copy or mirror or duplicat\$4)) and ((plac\$3 stor\$3 sav\$3 mov\$3) near6 (replica\$5 or copy or mirror or duplicat\$4) near (server host)) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 07:06
S42	252	((distribut\$5 re\$distribut \$4) and ((plurality or multiple) near7 server\$1)) and ((identif\$3 select\$4 determin\$4) with (server \$1 host) with (replica\$5 or copy or mirror or duplicat\$4)) and ((plac\$3 stor\$3 sav\$3 mov\$3) near6 (replica\$5 or copy or mirror or duplicat\$4) near (server host)) and ((identif\$3 select\$4 determin\$4) near6 (server \$1 host)) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 07:06
S43	3868	((identif\$3 determin\$3 select\$3) near (server\$1 host\$1)) and (((plac\$3 stor \$3 sav\$3 mov\$3) near5 (replica\$5 or copy or mirror or duplicat\$4)) with (server host))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 09:52
S44	1612	((identif\$3 determin\$3 select\$3) near (server\$1 host\$1)) and (((plac\$3 stor \$3 sav\$3 mov\$3) near5 (replica\$5 or copy or mirror or duplicat\$4)) with (server host)) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 09:53
S45	649	((identif\$3 determin\$3 select\$3) near (server\$1 host\$1)) and (((plac\$3 stor \$3 sav\$3 mov\$3) near (replica\$5 or copy or mirror or duplicat\$4)) with (server host)) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 10:02

S46	142	((identif\$3 determin\$3 select\$3) near (server\$1 host\$1)) and (((plac\$3 stor\$3 sav\$3 mov\$3) near (replica\$5 or copy or mirror or duplicat\$4)) near (server host)) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 10:02
S47	153	((identif\$3 determin\$3 select\$3) near (server\$1 host\$1)) and (((plac\$3 stor\$3 sav\$3 mov\$3) near (replica\$5 or copy or mirror or duplicat\$4)) near server\$1) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 10:02
S48	143	((identif\$3 determin\$3 select\$3) near server\$1) and (((plac\$3 stor\$3 sav\$3 mov\$3) near (replica\$5 or copy or mirror or duplicat\$4)) near server\$1) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 10:03
S49	143	((identif\$3 determin\$3 select\$3) near server\$1) and ((plac\$3 stor\$3 sav\$3 mov\$3) near (replica\$5 or copy or mirror or duplicat\$4) near server\$1) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 10:04
S50	45	((distribut\$5 re\$distribut\$4) and ((plurality or multiple) near7 server\$1)) and ((identif\$3 select\$4 determin\$4) with (server\$1 host) with (replica\$5 or copy or mirror or duplicat\$4)) and ((plac\$3 stor\$3 sav\$3 mov\$3) near (replica\$5 or copy or mirror or duplicat\$4) near (server host)) and ((identif\$3 select\$4 determin\$4) near (server\$1 host)) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 10:45

S51	15	((distribut\$5 re\$distribut\$4) and ((plurality or multiple) near7 server\$1)) and ((identif\$3 select\$4 determin\$4) with (server\$1 host) with (replica\$5 or copy or mirror or duplicat\$4)) and ((plac\$3 stor\$3 sav\$3 mov\$3) near (replica\$5 or copy or mirror or duplicat\$4) near (server host)) and ((identif\$3 select\$4 determin\$4) near (server\$1 host)) and ((use utiliz\$5) with server\$1) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 16:56
S52	4	((distribut\$5 re\$distribut\$4) and ((plurality or multiple) near7 server\$1)) and ((identif\$3 select\$4 determin\$4) with (server\$1 host) with (replica\$5 or copy duplicat\$4)) and ((plac\$3 stor\$3 sav\$3 mov\$3) near (replica\$5 duplicat\$4) near server\$1) and ((identif\$3 select\$4 determin\$4) near server\$1) and ((use utiliz\$5) with server\$1) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 18:04
S53	38	((identif\$5 or determin\$3) near server\$1 near (replica\$5 or copy duplicat\$4)) and @ad<"20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 18:07
S55	36	((storage near3 balanc\$3) with (servers or systems or computers) with (back\$1up or replica\$5)) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 09:08
S56	28	((storage near3 balanc\$3) with (servers or systems or computers) with (back\$1up or replica\$5) with (utiliz\$5 near3 (storage or space or drive\$1 or disk\$1))) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 09:21

S57	214	((servers or systems or computers) with (back\$1up or replica\$5) with (utiliz\$5 near3 (storage or space or drive\$1 or disk \$1))) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 11:53
S58	22789	((servers or systems or computers) with (back\$1up or replica\$5 duplicat\$4)) and (utiliz\$5 near5 (systems computers server\$1)) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 12:01
S59	19895	((servers or systems or computers) with (back\$1up or replica\$5 duplicat\$4)) and (utiliz\$5 near3 (systems computers server\$1)) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 12:01
S60	32	((storage near3 balanc\$3) with (servers or systems or computers) with (back\$1up or replica\$5 duplicat\$4)) and (utiliz\$5 near3 (systems computers server\$1)) and @ad < "20030214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/08 12:02

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	5	"707"/\$.cls. and (storage near3 balanc\$3) and ((servers or systems or computers) with (back\$1up or replica\$5 duplicat\$4) with (utiliz\$5 near3 (systems computers server\$1))) and @ad < "20030214"	USPAT; UPAD	OR	ON	2009/12/08 14:54
L6	10	((storage near3 balanc\$3) with (servers or systems or computers) with (back\$1up or replica\$5 duplicat\$4)) and (utiliz\$5 near3 (systems computers server\$1)) and @ad < "20030214"	USPAT; UPAD	OR	ON	2009/12/08 14:54

L7	12	((distribut\$5 re\$distribut\$4) and ((plurality or multiple) near7 server\$1)) and ((identif\$3 select\$4 determin\$4) with (server\$1 host) with (replica\$5 or copy or mirror or duplicat\$4)) and ((plac\$3 stor\$3 sav\$3 mov\$3) near (replica\$5 or copy or mirror or duplicat\$4) near (server host)) and ((identif\$3 select\$4 determin\$4) near (server\$1 host)) and ((use utiliz\$5) with server\$1) and @ad<"20030214"	USPAT; UPAD	OR	OFF	2009/12/08 14:54
L8	8	((storage near3 balanc\$3) with (servers or systems or computers) with (back\$1up or replica\$5) with (utiliz\$5 near3 (storage or space or drive\$1 or disk\$1))) and @ad < "20030214"	USPAT; UPAD	OR	ON	2009/12/08 14:54
L9	12	((storage near3 balanc\$3) with (servers or systems or computers) with (back\$1up or replica\$5)) and @ad < "20030214"	USPAT; UPAD	OR	ON	2009/12/08 14:55
S54	3	(distribut\$5 re\$distribut\$4) and ((plurality or multiple) near7 server\$1) and ((identif\$3 select\$4 determin\$4) with (server\$1 host) with (replica\$5 or copy or duplicat\$4)) and ((plac\$3 stor\$3 sav\$3 mov\$3) near (replica\$5 or copy or duplicat\$4) near (server host)) and ((identif\$3 select\$4 determin\$4) near (server\$1 host)) and ((replica\$5 or copy or duplicat\$4) with (use utiliz\$5) with server\$1) and @ad<"20030214"	USPAT; UPAD	OR	OFF	2009/12/07 17:04

12/08/09 3:13:31 PM

C:\Documents and Settings\HThai\My Documents\EAST\workspaces\10608139.wsp